

# GSB 18 V-EC

## Specifications

<b>Name</b>	<b>GSB 18 V-EC</b>
Master-Order-No.	0 601 9E9 104
Internal ID	39076
Status	OK
Created	2015-08-24 (pkalinowskibeu)

## Description

### Product line

- ▶ Trade / Industry

### Title

- ▶ GSB 18 V-EC Professional cordless combi

### Positioning

- ▶ The reliable all-rounder – with maximum power

### User benefit

- ▶ Long lifetime and high quality thanks to all-metal chuck and brushless EC motor
- ▶ Innovative functions such as precision clutch and KickBack Control
- ▶ Leader in compactness and ergonomics

### Other features

- ▶ Integrated impact drilling function for drilling in masonry up to 13 mm
- ▶ Compact design: very short head length (only 184 mm) for perfect handling
- ▶ Innovative CoolPack batteries ensure optimum heat dissipation and therefore increase lifetime by up to 100% (cf. Li-Ion batteries without CoolPack)
- ▶ Bosch Electronic Cell Protection (ECP): protects the battery against overload, overheating and deep discharge
- ▶ Electronic Motor Protection (EMP) protects the motor against overload and ensures a long lifetime
- ▶ 13-mm Auto-Lock drill chuck
- ▶ Integrated LED light with afterglow function for illuminating the work area, even in dark places
- ▶ Replaceable colour clips for easy labelling and identification of the tool
- ▶ Mountable bit holder for easy transport and storage of bits on the tool
- ▶ Practical belt clip for conveniently hanging the tool on a belt or ladder
- ▶ Motor brake for precise work when driving rows of screws

### Title supplement for print

- ▶ with 5.0 Ah cordless battery

### Product category subdivision

- ▶ Cordless Combi

## Technical data

Torque, max. (hard/soft)	60 / 31 Nm
--------------------------	------------

## Linked digital objects

### Product image



ID: #214479

### Operating Instructions, Western Europe




ID: #214422

### Operating Instructions, Eastern Europe



ID: #214422

### Symbol image



### Application image



ID: #212911

ID: #212914

ID: #212915

# GSB 18 V-EC

## Technical data

No-load speed (1st gear / 2nd gear)	0 – 600 / 0 – 1.900 rpm
Max. impact rate	28500 bpm
Chuck capacity, min./max.	1,5 / 13 mm
Drill spindle thread	1/2"
Battery voltage	18 V
Battery capacity	5 Ah
Battery capacity	4 Ah
Weight incl. battery	1,8 kg
Charging time, approx.	65 mins
Torque settings	20+1
Length	184 mm
Height	248 mm
Cell type	Lithium-ion

## Drilling diameter

Max. drilling diameter in wood	38 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in masonry	13 mm

## Screw diameter

Max. screw diameter	10 mm
---------------------	-------

## Noise/vibration information

Noise level	The A-rated noise level of the power tool is typically as follows: Sound pressure level 87 dB(A); Sound power level 98 dB (A). Uncertainty K= 3 dB.
-------------	---

## Functions

- ▶ Multiple gears
- ▶ Impact drilling
- ▶ Right-hand/left-hand rotation
- ▶ Electronic
- ▶ Auto-Lock
- ▶ Softgrip
- ▶ Light

## CSO Selection

Order No. 1	0 601 9E9 170
EAN-Code	3165140805049
Scope Of Supply	L-BOXX 136 (1 600 A00 1RR) AL 1860 CV quick charger (2 607 225 324)

## GSB 18 V-EC

### CSO Selection

	1x belt clip, 1x bit holder, 4x colour clips 1/2 L-BOXX inlay for tool (1 600 A00 2WA) 1/2 L-BOXX inlay for accessories (1 600 A00 2WC) 2 x 4.0 Ah Li-Ion batteries (1 600 Z00 038)
<b>Baretool number</b>	3601JE9100
<b>SOL Date</b>	01.03.2016
Order No. 2	0 601 9E9 172
EAN-Code	3165140846684
<b>Scope Of Supply</b>	L-BOXX 136 (1 600 A00 1RR) GAL 1880 CV quick charger (1 600 A00 B8G) 1x belt clip, 1x bit holder, 4x colour clips 1/2 L-BOXX inlay for tool and charger (1 600 A00 2WA, 1 600 A00 2WC) 2 x battery GBA 18 V 5.0 Ah (1 600 A00 2U5)
<b>Baretool number</b>	3601JE9100
<b>SOL Date</b>	01.03.2016
Order No. 3	0 601 9E9 100
EAN-Code	3165140794701
<b>Scope Of Supply</b>	Battery and charger not included Carton (L-BOXX-ready) Solo Version 1x belt clip, 1x bit holder, 4x colour clips 1/2 L-BOXX inlay for tool and charger (1 600 A00 2WA, 1 600 A00 2WC)
<b>Baretool number</b>	3601JE9100
<b>SOL Date</b>	01.03.2016

15.11.2016 15:33:39

RBGB - GroÑbritannien - English