

**TECHNICAL DATA** 

# VPS220-G - Voltage Probe Set, 100:1, one grey



### **Key features**

#### Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

### Product overview: VPS220-G - Voltage Probe Set, 100:1, one grey

Double insulated voltage probe for ScopeMeter 190 series.

### Specifications: VPS220-G - Voltage Probe Set, 100:1, one grey


Specification	
Attenuation	100:1
Bandwidth	200 MHz
Max. input voltage	1000 V CAT II or 600 V CAT III



Max. voltage to ground	1000 V CAT II or 600 V CAT III per IEC / EN61010-031
Input resistance	100 ΜΩ
Input capacitance	4.6 pF
Compensation range	10 to 25 pF
Cable length	1.2 m



## **Ordering information**



#### Fluke VPS220-G

Voltage Probe Set, 100:1, one grey

### Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip



### $\textbf{Fluke}. \ \textit{Keeping your world up and running}. \\ \textbf{\textcircled{\$}}$

Fluke Europe B.V.
P.O. Box 1186
5602 BD Eindhoven
The Netherlands
www.fluke.com/en
©2023 Fluke Corporation. All rights reserved.
Data subject to alteration without notice.
07/2023

For more information call: In Middle East/Africa +31 (0)40 267 5100

Modification of this document is not permitted without written permission from Fluke Corporation.