Raprench® Wrenches



Raprench® Wrenches

A deeper and broader hook jaw housing provides a smooth, flat surface that is ideal for occasional use as a hammer.

	Catalog	Model	D	Nom. Size		Pipe Capacity		Weight		Std.
	No.	No.	Description	in.	mm	in.	mm	lb.	kg	Pack
	31395	10	Raprench Wrench	10	250	1 ¹ / ₂	40	2	0.9	6

Nom. Size = nominal length of handle

Nom. Pipe Capacity = maximum nominal diameter of steel pipe

Offset Wrenches



Heavy-Duty Offset Pipe Wrenches

The Heavy Duty Offset Pipe Wrench features a jaw opening parallel to the handle and a narrower hook jaw head. Provides easy entry into tight spots.

Catalog	Model	Description	Nom. Size		Pipe Capacity		Weight		Std.
No.	No.	Description	in.	mm	in.	mm	lb.	kg	Pack
89435	14	Offset Pipe Wrench	14	350	2	50	21/4	1.0	6
89440	18	Offset Pipe Wrench	18	450	21/2	65	53/4	2.6	6
89445	24	Offset Pipe Wrench	24	600	3	80	93/4	4.4	6

Nom. Size = nominal length of handle Nom. Pipe Capacity = maximum nominal diameter of steel pipe



Aluminum Offset Pipe Wrenches

- Aluminum Offset Pipe Wrenches feature a jaw opening parallel to the handle and a narrower hook jaw head. This lightweight wrench provides easy entry into tight spots.
- · Ideal for overhead applications.

Catalog	Model No.	Description	Nom. Size		Pipe Capacity		Weight		Std.
No.		Description	in.	mm	in.	mm	lb.	kg	Pack
31120	14	Aluminum Offset Pipe Wrench	14	350	2	50	2	0.9	6
31125	18	Aluminum Offset Pipe Wrench	18	450	21/2	65	31/2	1.6	6
31130	24	Aluminum Offset Pipe Wrench	24	600	3	80	6	2.7	6

Nom. Size = nominal length of handle Nom. Pipe Capacity = maximum nominal diameter of steel pipe

Hex Wrenches



Hex Wrenches

- Hex jaw design gives multi-sided, secure grip on all hex nuts, square nuts, unions and valve packing nuts.
- The extra-wide opening offset model is ideal for securing drain nuts on sinks and tubs.
- Thin, smooth jaws slip into the tightest places.

Catalog No.	Catalog	Model	Description	Nom. Size		Pipe Ca	pacity	We	Std.	
	No.	Description	in.	mm	in.	mm	lb.	kg	Pack	
	31305	E-110	Offset Hex	91/2	240	11/8 - 25/8	29 - 67	11/2	0.6	6
	31275	17	Straight Hex	141/2	362	5/8 - 11/4	16 - 30	41/2	2.0	6
	31280	25	Straight Hex	20	500	1 - 2	25 - 50	83/4	4 n	l 6